


8



CLHHS

ROLLANT 44

Rollant 44 109251

FEED ROLLER DRIVE

Pos.	Part No.	Description	Dimension	Quantit y	Conditions
1	00 0820 870 0	SUPPORT		1	1)
1	00 0819 797 0	TENS.PULLEY ARM		1	2)
1	00 0820 870 0	SUPPORT		1	3)
1	00 0819 797 0	TENS.PULLEY ARM		1	4)
2	00 0234 306 0	WASHER	30,5X 42 X2	2	
3	00 0008 553 0	BUSHING	30 X 34 X14	2	
4	00 0236 944 0	GREASE NIPPLE	C S6X1	1	
5	00 0235 118 0	SPLIT PIN	6,3X 45	1	
6	00 0235 182 0	CIRCLIP	52X2	2	1)
6	00 0235 181 0	CIRCLIP	47X1,75	2	2)
6	00 0235 182 0	CIRCLIP	52X2	2	3)
6	00 0235 181 0	CIRCLIP	47X1,75	2	4)
7	00 0235 870 0	GRVD.BALL BEARING	6205-2RS*	1	1)
7	00 0236 752 0	GRVD.BALL BEARING	6204-2RS*	1	2)
7	00 0235 870 0	GRVD.BALL BEARING	6205-2RS*	1	3)
7	00 0236 752 0	GRVD.BALL BEARING	6204-2RS*	1	4)
8	00 0676 935 1	TENSION PINION	25,4 TLG-13Z	1	1)
8	00 0818 767 0	TENSION PINION	14ZX19,05X11,68	1	2)
8	00 0676 935 1	TENSION PINION	25,4 TLG-13Z	1	3)
8	00 0818 767 0	TENSION PINION	14ZX19,05X11,68	1	4)
9	00 0235 160 0	CIRCLIP	25X1,2	1	1)
9	00 0235 155 0	CIRCLIP	20X1,2	1	2)
9	00 0235 160 0	CIRCLIP	25X1,2	1	3)
9	00 0235 155 0	CIRCLIP	20X1,2	1	4)
10	00 0820 865 0	SPROCKET	23 Z. D 40 MM	1	1)
10	00 0819 260 0	SPROCKET	19,05 TG 35Z	1	2)
10	00 0820 865 0	SPROCKET	23 Z. D 40 MM	1	3)
10	00 0819 260 0	SPROCKET	19,05 TG 35Z	1	4)
11	00 0820 867 0	SPROCKET	23/35 Z. D 55MM	1	1)
11	00 0819 273 2	SPROCKET	35/35 Z.	1	2)
11	00 0820 867 0	SPROCKET	23/35 Z. D 55MM	1	3)
11	00 0819 273 2	SPROCKET	35/35 Z.	1	4)
12	00 0215 272 0	GIB-HEAD KEY	16X10X 80 ERS.D.215272.	1	1)
12	00 0244 810 0	GIB-HEAD KEY	14X 9X 63	1	2)
12	00 0215 272 0	GIB-HEAD KEY	16X10X 80 ERS.D.215272.	1	3)
12	00 0244 810 0	GIB-HEAD KEY	14X 9X 63	1	4)
13	00 0244 807 0	GIB-HEAD KEY	12X 8X 50	1	1)
13	00 0244 798 0	GIB-HEAD KEY	8X 7X 45	1	2)
13	00 0244 807 0	GIB-HEAD KEY	12X 8X 50	1	3)
13	00 0244 798 0	GIB-HEAD KEY	8X 7X 45	1	4)
14	00 0665 021 0	CHAIN INNER LINK	B-16B-1	1	1)
14	00 0932 153 0	CHAIN INNER LINK	19,05X11,68	1	2)
14	00 0665 021 0	CHAIN INNER LINK	B-16B-1	1	3)
14	00 0932 153 0	CHAIN INNER LINK	19,05X11,68	1	4)
15	00 0665 017 0	CHAIN LOCK BEND.	L-16B-1	1	1)
15	00 0233 568 0	CHAIN LOCK BEND.	19,05X11,68	1	2)
15	00 0665 017 0	CHAIN LOCK BEND.	L-16B-1	1	3)
15	00 0233 568 0	CHAIN LOCK BEND.	19,05X11,68	1	4)
16	00 0665 016 1	LOCKING LINK	E-16B-1	1	1)
16	00 0932 151 1	CHAIN LOCK STR.	19,05X11,68	1	2)
16	00 0665 016 1	LOCKING LINK	E-16B-1	1	3)
16	00 0932 151 1	CHAIN LOCK STR.	19,05X11,68	1	4)

FEED ROLLER DRIVE

Pos.	Part No.	Description	Dimension	Quantit y	Conditions
17	00 0820 869 0	ROLLER CHAIN	16B-1X 72	1	1)
17	00 0819 317 2	ROLLER CHAIN	19,05 T 101RO	1	2)
17	00 0820 869 0	ROLLER CHAIN	16B-1X 72	1	3)
17	00 0819 317 2	ROLLER CHAIN	19,05 T 101RO	1	4)
18	00 0234 295 0	WASHER	21 X 34 X2	1	
19	00 0237 026 0	SPLIT PIN	5 X 32	1	
20	00 0819 801 0	ROD		1	
21	00 0236 173 0	HEXAGONAL NUT	M16	1	
23	00 0819 796 0	WASHER	28,5X 45 X5	1	
24	00 0702 506 0	COMPRESS.SPRING	4,25X32,5X270	1	
25	00 0818 309 1	SPRING GUIDE		1	
26	00 0820 877 0	SPACER TUBE	21,3X2,3X196	1	1)
26	00 0820 877 0	SPACER TUBE	21,3X2,3X196	1	3)
27	00 0234 367 0	WASHER	17 X 42 X4	1	
1)	Remarks	from No. 00408843			
2)	Remarks	NR. 00408593-00408842			
3)	Remarks	NR. 00408491-00408592			
4)	Remarks	BIS NR. 00408490			